

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961 Phone: 495 220 229, 495 220 394

Fax: 495 220 154 GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz

Friocell 111 EVO Order code: **2102.010493345** 







Information about product price on demand

## Parameters

Volume 111 I

Temperature range 0.0 °C ... 99.9 °C

Brand, Manufacturer BMT

Internal dimensions (w×d×h) 540 × 380 × 535 mm

Quantitative unit

• Detailed description

- Precise, nature-adaptable, cost-saving laboratory incubator
- 111-liter chamber volume
- $\bullet~$  Working temperature of from 0°C up to 100°C
- Patented cooling system (ecological cooling medium R134a) offers a precise and quick simulation of natural processes and reduces the risk of samples evaporation; various types of the inner chamber lighting can be added to the unit

ks

- High operation comfort; precise temperature regulation; possibility to reach even extremely short times of temperature changes
  and short times of temperature recovery in the chamber after the door opening; the standard equipment includes inner glass door
  and possibility to regulate the fan speed
- Suitable for demanding and accurate tests and samples cultivation
- Comfort model with a Fuzzy logic microprocessor control system; control elements situated on a foil keyboard, process information indicated on a LCD display
- · Wide range of optional equipment and accessories
- Output for a printer or PC connection
- Validation possibility (IQ , OQ)

Do you want to print the page now? Hide some parts of page before printing



Print partially

Print the page as you see it now



Print complete page

(this box will not be printed)

Edit before printing

Hover your mouse over some part of page, a red rectangle will appear. Click it to hide the selected content of page.



Print!



Show hidden