

**411011-01 - Diaphragm pump MP 065
E + Inlinefilter-Kit**
Order code: **8010.411011-01**



Cena bez DPH

683,00 Eur

Price with VAT

826,43 Eur

Parameters

Pumping rate [l/min]

11,6

Threshold pressure [kPa]

<10

Vacuum pump

Diaphragm

Quantitative unit

ks

This standard duty diaphragm pump model is a high performance and easy-to-use solution for small benchtop desiccators as it has a small footprint. With a total weight of 2.3 kg it is also portable. Further this model also provides a low sound level during operation with below 45 dB (A).

This package also includes a hydrophobic in-line filter and a silicone vacuum hose for quick connection to your application.

Technical Data

- Number of heads / stages: 2/1
- Max. pumping speed at 50 Hz in m³/h (l/min): 0.7 (11.6)
- Ultimate pressure in mbar (Torr): < 100
- Wired for: 90 to 260V AC /18V DC
- Intake connection: Hose nozzle DN 6
- Exhaust connection: Hose nozzle DN 6, w/exhaust silencer (removable)
- Sound level (dB): < 45
- Dimensions (W/D/H) in mm: 144/127/196
- Motor voltage: 18 VDC
- Operating temperature in °C: 10 to 60 °C
- Weight kg (lbs): 2.3 (5.1)