



HELAGO-CZ, s.r.o.
Commercial Register maintained by the Regional Court in Hradec
Králové
Section C, File 17879
Kladská 1082
500 03 Hradec Králové 3
Company ID: 25 96 39 61, VAT: CZ 25963961
Phone: 495 220 229, 495 220 394
Fax: 495 220 154
GSM gate: 602 123 096
E-mail: info@helago-cz.cz
Web: <http://www.helago-cz.cz>

**115254 - Pump system LVS 610 T
ef**

Order code: **8010.115254**



Cena bez DPH

5.990,00 Eur

Price with VAT

7.247,90 Eur

Parameters

Pumping rate [l/min]	81,7
Threshold pressure [kPa]	<0,2
Vacuum pump	Diaphragm
Quantitative unit	ks

Scope of supply:

- Chemically resistant diaphragm pump MPC 601 T with frequency changer and gas ballast valve
- Suction-side separator with 500 ml round-bottomed flask
- Pressure-side, insulated intensive cooler with round-bottom flask 500 ml with safety valve
- Digital vacuum controller 521 with sensor and venting valve
- One automatically regulated connection
- Suction connection DN 8 for hose inside diameter 8 mm
- Assembled and wired ready for connection

Technical Data

- Number of heads / stages: 4/3
- Max. pumping speed at 50 Hz in m³/h (l/min): 4.9 (81.7)
- Max pumping speed at 60 Hz in m³/h (l/min): 4.9 (81.7)
- Max. pumping speed at 60 Hz in cfm (l/min): 2.8 (81.7)
- Ultimate pressure in mbar (Torr): < 2
- Wired for: 230V, 50/60Hz
- Intake connection: DN 8
- Exhaust connection: DN 8
- Sound level (dB): < 44
- Dimensions (W/D/H) in mm: 360/310/445
- Weight kg (lbs): 26.8 (59.1)