



HELAGO-CZ, s.r.o.

Commercial Register maintained by the Regional Court in Hradec  
Králové

Section C, File 17879

Kladská 1082

500 03 Hradec Králové 3

Company ID: 25 96 39 61, VAT: CZ 25963961

Phone: 495 220 229, 495 220 394

Fax: 495 220 154

GSM gate: 602 123 096

E-mail: [info@helago-cz.cz](mailto:info@helago-cz.cz)

Web: <http://www.helago-cz.cz>

**B-150PBRPL - Binocular microscop**

Order code: **0501.B150PBRPL**

---



Cena bez DPH

783,00 Eur

Price with VAT

947,43 Eur

Parameters

Microscopes types

Laboratory

Serie

B-150

Number of eyepieces

Binocular

Number of lenses	3
Zoom of lenses	4x, 10x, 40x
Illumination	X-LED
Quantitative unit	ks

- Observation mode: Brightfield, Polarized Light.
- Head: Binocular, 30° inclined; 360° rotating.
- Eyepiece: WF10x/18 mm, secured by screw.
- Nosepiece: Quadruple ball bearings revolving nosepiece.
- Objectives:
  - - N-PLAN 4x/0.10, with anti-fungus treatment
  - - N-PLAN 10x/0.25 , with anti-fungus treatment
  - - N-PLAN 40x/0.65 , with anti-fungus treatment
- Specimen stage: Rotatable round stage, 120 mm diameter.
- Focusing: Coaxial coarse and fine focusing mechanism with limit stop to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob.
- Condenser: Abbe N.A. 1.25, pre-centered, focusable, with iris diaphragm.
- Illumination: X-LED1 with white 1 W LED and light intensity control.
- Color temperature: 6,300 K. Li-Ion battery for long lasting operation. Multi-plug 100-240Vac/5Vdc external power supply.
- Polarizing filters: Rotating Polarizer (swing-out) and fixed Analyzer (sliding-out).