

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961

Phone: 495 220 229, 495 220 394

Fax: 495 220 154 GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz B-150DMRPL - Monocular digital microscop Order code: **0501.B150DMRPL**



Cena bez DPH

Price with VAT

Parameters

Microscopes types

Serie

Number of eyepieces

738,00 Eur

892,98 Eur

Digital

B-150

Monocular

Number of lenses 3

Zoom of lenses $4\times$, $10\times$, $40\times$

Illumination X-LED

Quantitative unit ks

- Detailed description
- Observation mode: Brightfield.
- Head: Monocular, 30° inclined; 360° rotating. With integrated 1.3 MP camera.
- Eyepiece: WF10x/18 mm, secured by screw.
- Nosepiece: Quadruple ball bearings revolving nosepiece.
- Objectives:
- N-PLAN 4x/0.10 , with anti-fungus treatment
- - N-PLAN 10x/0.25 , with anti-fungus treatment
- - N-PLAN 40x/0.65 , with anti-fungus treatment
- Specimen stage: Mechanical stage, 125x116mm, 70×30 mm X-Y movement range. Vernier scale on the two axes, accuracy: 0.1mm.
- Focusing: Coaxial coarse and fine focusing mechanism with limit stop to prevent the contact between objective and specimen.

 Adjustable tension of coarse focusing knob.
- Condenser: Abbe N.A. 1.25, pre-centered, focusable, with iris diaphragm.
- Illumination: X-LED1 with white 1 W LED and light intensity control.
- Color temperature: 6,300 K. Li-Ion battery for long lasting operation. Multi-plug 100-240Vac/5Vdc external power supply.

Do you want to print the page now?

Hide some parts of page before printing



Print partially

Print the page as you see it now



Print complete page

(this box will not be printed)

Edit before printing

Hover your mouse over some part of page, a red rectangle will appear. Click it to hide the selected content of page.



Print!



Show hidden