

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961

Phone: 495 220 229, 495 220 394 Fax: 495 220 154 GSM gate: 602 123 096 F-mail: info@helago-cz cz

E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz

PLM-11 - PICCLineMan System with Articulating Head (PLM-10, AH-10)

Order code: 4129.PLM11



Information about product price on demand

Parameters

Cannula, injection, puncturing - filter

Catheter insertion

Quantitative unit ks

Simulab's PICCLineMan System Trainer with Articulating Head is a Peripheral Inserted Central Catheter (PICC) training simulator that allows medical professionals to train using real-time ultrasound guidance during catheter placement. Practice the complete PICC Line insertion procedure, including guidewire insertion, dilation, and full cannulation. The articulating head included enhances realism.

The trainer includes the basilic vein, brachial vein, cephalic vein, brachial artery, and median nerve. Palpable anatomy includes the antecubital fossa, clavicle, sternum, acromion, ribs one through seven, and the 1st to 4th intercostal space. The PICC line trainer offers value with its durable ultrasoundable, realistic tissues that endure repeated use. Studies have shown that standardized PICC line training can result in medical error reduction. The importance of medical simulation becomes more and more evident; PICCLineMan offers a cost-effective method to improve patient safety.

Includes:

- PICCLineMan Body Form
- PICCLineMan Base
- Articulating Head
- PICCLineMan Normal Replaceable Tissue
- Arterial Fluid
- Venous Fluid
- Pulse Bulb
- Pressure Regulator
- Carrying Case

Features:

- Excellent for ultrasound-guided peripheral venous access hands-on training
- Anatomically correct human torso and partial right arm at a 90-degree angle with landmarks
- Differentiate arterial and venous blood to present positive or negative results
- Positive flashback of simulated blood upon successful venous access
- Median Nerve is visible under ultrasound and adds realism in brachial vein access
- Self-sealing veins and skin for multiple cannulations
- Replaceable Normal, Obese or Geriatric tissue sets allow for multiple uses
- Arterial pulse and proper landmarks are present under real-time ultrasound to help avoid and detect errors
- Articulating Head enhances realism and allows for team discussions of complications

Palpable Landmarks

- Antecubital Fossa
- Clavicle
- Sternum
- 1st-4th intercostal space
- Acromion
- Ribs 1-7
- Humeral
- Head

Ultrasound Anatomy

- Basilic Vein
- Brachial Vein
- Cephalic Vein
- Median Nerve
- Brachial Artery
- Humerus

Skills:

PICC line procedure including guidewire insertion, dilation, and complete cannulation Peripherally Inserted Catheterization using Basilic, Brachial, or Cephalic Veins Normal, Obese and Geriatric tissue options allow for assessing patient variance in vessel depth and sizing Use ultrasound guidance during catheter placement Palpable anatomic landmarks clinically relevant for measuring catheter length Digital X-Rays provided to support the student's pathway in predicting optimum SVC tip position